



Ensuring safety & comfort with an
esthetic touch in your

life

Established in 2007, DECENT® is a diversified business group engaged in the producing, assembling, sourcing, distribution of quality products and solutions for the construction, electrical, building materials, food and printing industries. Backed by a strong product network, quality-focused operations, and customer-centric service.

We connect with the different markets across Bangladesh and beyond. With a commitment to quality, reliability, innovation, and long-term partnerships, DECENT® continues to expand its presence as a dependable business partner for developers, contractors, distributors, architects, chain shops and international buyers.

We are
DECENT®
delivering excellence



Lights, Switches Sockets &

Series: Watt White




Series: Ben Brushed Grey



Series: Martin Cooper




T5 Integrated Fixture



Led Spot Light (Conceal)



Led Flood Light (Outdoor-Weather Proof)



Led High Bay Light



Alabaster Pendant Light




Led Wall Bracket (Indoor)



Power (Rated) : 6w
CCT : 6000 K : 4000 K : 3000 K
D (mm) : L:380 x W:80 x H:90 (aprx.)



Power (Rated) : 8w
CCT : 6000 K : 4000 K : 3000 K
D (mm) : L:600 x W:120 x H:60 (aprx.)



Power (Rated) : 8w
CCT : 6000 K : 4000 K : 3000 K
D (mm) : L:330 x W:140 x H:50 (aprx.)



Power (Rated) : 6w
CCT : 6000 K : 4000 K : 3000 K
D (mm) : L:580 x W:370 x H:90 (aprx.)



Power (Rated) : 16w
CCT : 6000 K : 4000 K : 3000 K
D (mm) : L:580 x W:370 x H:90 (aprx.)

Led Narrow Bezel Down Light



Power (Rated) : 20W, 12W
CCT : 3000 K / 4000 K / 6000 K
D (mm) : L:120 x H:32 (aprx.)
/ D:160 x H:32 (aprx.)

Led Garden Light



Power (Rated) : 6w
CCT : 3000 K
D (mm) : L:100 x D:62
x H:70 (aprx.)
Ingress Protection : IP65



Power (Rated) : 7w
CCT : 3000 K
D (mm) : L:155 x W:50
x H:315 (aprx.)
Ingress Protection : IP65

Led Bollard Light (Outdoor-Weather Proof)




Power (Rated) : 10w
CCT : 3000 K
D (mm) : L:160 x W:45 x H:600 (aprx.)
Ingress Protection : IP65



Power (Rated) : 12w
CCT : 3000 K
D (mm) : L:108 x W:108
x H:600 (aprx.)
Ingress Protection : IP65



Roof Tiles & Wall Panel





Anti-UV Layer

UPVC Layers


UPVC Layers

Glass Fiber Layer



ASA uPVC ROOF TILE

Thickness	: 2.5- 3.0mm
Width	: 1050mm
Wave distance	: 160mm
Wave height	: 30mm
Pitch	: 219mm



ASA uPVC PROFILE SHEET

Thickness	: 2.5- 3.0 mm
Total Width	: 1130 mm
Effective Width	: 1050 mm
Wave Distance	: 210 mm
Wave Height	: 25 mm




ASA uPVC PROFILE SHEET

Thickness	: 3.0 mm
Total Width	: 1170 mm
Effective Width	: 1000 mm
Wave Distance	: 250 mm
Wave Height	: 38 mm

TRIM RENDERS




Bottom Trim




Corner Trim



Gable Trim



Gutter Trim



Vally Trim



Side Ridge



Top Ridge



Three Way Ridge

Accessories


Waterproof Screw Accessories



Condominium



Bungalow



Resort



Rooftop Shed



Chemical Storage Shed



Poultry Shed



Industry Shed



Hostel




Flat Panel

Thickness: 8mm
Width: 400mm



5 rib 3D Panel

Thickness: 8mm
Gap: 25mm
Ribs: 25mm



Louvre

Thickness: 80mm
Width: 50mm

Concrete Block Making Machine

Except inherits all the merits of the original QT6-15 model, this model also adopts many advanced technologies.


By increasing 16% investment, the turnout raises 60%, energy consumption reduces 5%.

The computer controlling system of QT10-15 is a revolutionary advance in the industry. Remote monitor, failure query and system upgrading are implemented by the terminals.

The compulsory material distributing design greatly shortens the time, and the materials are distributed with uniformity.

Another revolution is dry, humid and hot curing, which can make the product realize dryness and shrinkage in the initial phase and thus solidify soon.

Item	Units Measurements	QT4-15	QT6-15	QT6-15A	HD8-15	QT8-15B
wall body blocks	Standard blocks(Pcs/mould)	4	6	6	7.5	8
	Multi-pore blocks(Pcs/mould)	12	15	18	20	21
	95 standard blocks(Pcs/mould)	24	30	36	40	45
Pallet size	(mm)	850×560	850×680	850×780	1100×680	950×850
Double shifts annual yield	(m³)	80000	100000	110000	120000	130000
Power	kW	32.5	36	36	50	54.2
Weight	T	8	10	10.5	12	15



Packaging, Printing Publishing &

Paper packaging products for direct export, food-grade or other bags, plain or printed, coated or uncoated, laminated or unlaminated, with foil or without foil.



Fresh Mango of Sapahar

Sapahar is widely recognized as the mango capital of Bangladesh. Nurtured in the unique, nutrient-dense clay soil of Sapahar famous for producing some of the sweetest, high-yielding, fibreless, and premium export-quality mangoes in the World.

We have: Fresh Mango and other mango products like Mango Powder, Mango Juice Powder, dried organic mango fruit powder, Green Mango Pickle

Why Choose us?



Standards & Certifications:



Switch colour options:

White

Grey

Black

Gold



Warranty:



Endurance:

Switches: ≥40,000 times, Sockets: ≥ 10,000 cycles

Why Choose Decent LED:



Advanced Optical Systems

High-precision German and Chinese reflectors integrated with advanced Glare-free technology to reduce visual fatigue.



Diverse CCT Spectrum

Warm/Warm White (2700K – 3000K) for luxury hospitality, Natural White (4000K) for productivity/galleries, up to Daylight (5700K – 6500K) for clinical environments.



Best LED Chips

Integration of premium USA and Korean chip brands for superior thermal management and color stability.



Superior Luminous Efficacy

High-tier electrical efficiency pushing 100 to 140 Lumens per Watt (lm/W).



Premium Power Drivers

Positioned with the world's best drivers ensuring surge protection and exceptional continuous power delivery.



Acoustic Innovations

An acoustic material option that serves the dual purpose of high-end architectural lighting and noise-dampening functionality.



Higher Color Rendering Index (CRI Ra)


Ensuring unmatched texturing and vivid representation of physical colors.



Warranty & Testing

All lights have a 2 years replacement warranty, fully tested in regional and international testing labs.

Why Should You Use Our uPVC Sheets:



High Quality Layer



Sound Insulation



Thermal Resistant



Waterproof



Resistant Against Corrosion



Strong Impact & Load Resistance



Sound Insulation



Fire Retardant



High Weather Resistance



Colour options:

White

Grey

Red Brick

Ocean Blue





Building a Better Future



We believe that sustainable growth is built on responsible business practices, quality products, and long-term value creation. Across our diverse operations in electrical, construction, building materials, food, and printing, we continuously seek opportunities to improve efficiency, reduce waste, and use resources responsibly.



Sustainable Growth & Operations

We believe that sustainable growth is built on responsible business practices, quality products, and long-term value creation. Across our diverse operations in electrical, construction, building materials, food, and printing, we continuously seek opportunities to improve efficiency, reduce waste, and use resources responsibly.



Durable Products & Resource Efficiency

We promote durable, reliable, and resource-conscious products and solutions that contribute to longer product life and more efficient use of materials and energy. Our manufacturing, assembling, sourcing, and distribution activities are guided by a commitment to quality, responsible resource management, and continuous improvement.



Value Chain Collaboration

We work closely with our manufacturing partners, suppliers, customers, and business communities to encourage responsible practices throughout our value chain. We focus on minimizing unnecessary waste, improving operational efficiency, and exploring more sustainable materials, technologies, packaging, and processes wherever practical.

Head Office

Decent Bangladesh Ltd

Amicus Park View , House 35, Road 15, Block D,
Banani, Dhaka-1213, Bangladesh

Contact

Telephone

+880 1711021768, +880 1713123653,
+880 1711009624, +880 1752988144

Email

najim@decentbangladesh.com
sales@decentbangladesh.com

Website

www.decentbangladesh.com



**SUSTAINABLE
TODAY,
STRONGER
TOMORROW**